

PRICE LIST INDUSTRY

OCTOBER 2026

NEWS

MODVLS





MODVLVS

MODVFLAT

FIXED POINT HEATING INTERFACE UNIT (HIU)

Heating interface unit (HIU) for DHW and a fixed point heating circuit

Power	Dim.		Price with synchronous circulating pump		s.b.	m.c.
			Wilo Para 15/6 SC	Grundfos UPM3 S 15-60		
20 kW	3/4"	Code:	402554P-20-F3-P6	402554P-20-F3-A6	1	-
		Price:	€ 2.005,76	€ 2.002,02		
30 kW	3/4"	Code:	402554P-30-F3-P6	402554P-30-F3-A6	1	-
		Price:	€ 2.152,13	€ 2.148,16		



MODVLVS

MODVFLAT

VARIABLE TEMPERATURE HEATING INTERFACE UNIT (HIU)

Heating interface unit (HIU) for DHW and a variable temperature mixed heating circuit

Power	Dim.		Price with synchronous circulating pump		s.b.	m.c.
			Wilo Para 15/6 SC	Grundfos UPM3 S 15-60		
20 kW	3/4"	Code:	402554P-20-M3-P6	402554P-20-M3-A6	1	-
		Price:	€ 2.805,73	€ 2.801,87		
30 kW	3/4"	Code:	402554P-30-M3-P6	402554P-30-M3-A6	1	-
		Price:	€ 2.999,82	€ 2.995,72		



031610-M13D



RCD20

MODVLVS

MODVFLAT

ACCESSORI

Optional accessories

Code	Description	Price	conf	imb
EWK554P-F3	Box Cover - Fixed point model	€ 124,07	1	-
EWK554P-M3	Box Cover - Variable temperature model	€ 124,07	1	-
031610-M13D	Motorized zone valve	€ 105,46	1	-
RCD20	Remote room control	€ 154,01	1	-



MODVLVS

DN20 PUMP UNITS

M2 PDC

UNMIXED PUMP UNIT AVEC FLOWMETER 5-42 L/MIN

Pump units without circulating pump. Up to 30 kW (Δt 20 K) with a 6 m circulating pump. Kvs: 5.2.

Dim.	Item	Code	Price without circulating pump	s.b.	m.c.
3/4"	M2 PDC	20255R-42	€ 196,22	1	-

Pump units with synchronous circ. pump. Up to 30 kW (Δt 20 K) with a 6 m circulating pump. Kvs: 5.2.

Dim.	Item		Price with synchronous circulating pump			s.b.	m.c.
			Para 15/6 SC	UPM3S Auto 15-60	Para 15/8 SC		
3/4"	M2 PDC	Code:	20255R-42-P6	20255R-42-A6	20255R-42-P8	1	-
		Price:	€ 338,80	€ 335,42	€ 399,05		



MODVLVS

DN20 PUMP UNITS

M2 MIX33 PDC

MIXED PUMP UNIT FOR LOW TEMPERATURE,
WITH 3-WAY MIXING VALVE,
WITH BUILT-IN BYPASS AND FLOWMETER 5-42 L/MIN

Pump units without circulating pump. Up to 30 kW (Δt 15 K) with a 8 m circulating pump. Kvs: 4.8.

Dim.	Item	Code	Price without circulating pump	s.b.	m.c.
3/4"	M2 MIX33 PDC	20255R-M33-42	€ 240,47	1	-

Pump units with synchronous circ. pump. Up to 30 kW (Δt 15 K) with a 8 m circulating pump. Kvs: 4.8.

Dim.	Item		Price with synchronous circulating pump			s.b.	m.c.
			Para 15/6 SC	UPM3S Auto 15-60	Para 15/8 SC		
3/4"	M2 MIX33 PDC	Code:	20255R-M33-42-P6	20255R-M33-42-A6	20255R-M33-42-P8	1	-
		Price:	€ 388,62	€ 385,24	€ 448,87		

NOTES



MODVLVS

DN25 PUMP UNITS

M2 PDC

UNMIXED PUMP UNIT AVEC FLOWMETER 5-42 L/MIN

Pump units without circulating pump. Up to 39 kW (Δt 20 K) with a 6 m circulating pump. Kvs: 6.2.

Dim.	Item	Code	Price without circulating pump	s.b.	m.c.
1"	M2 PDC	20355R-42	€ 241,74	1	-

Pump units with synchronous circ. pump. Up to 39 kW (Δt 20 K) with a 6 m circulating pump. Kvs: 6.2.

Dim.	Item		Price with synchronous circulating pump			s.b.	m.c.
			Para 25/6 SC	UPM3S Auto 25-60	Para 25/8 SC		
1"	M2 PDC	Code:	20355R-42-P6	20355R-42-A6	20355R-42-P8	1	-
		Price:	€ 421,36	€ 421,48	€ 481,05		



MODVLVS

DN25 PUMP UNITS

M2 MIX33 PDC

MIXED PUMP UNIT FOR LOW TEMPERATURE,
WITH 3-WAY MIXING VALVE,
WITH BUILT-IN BYPASS AND FLOWMETER 5-42 L/MIN

Pump units without circulating pump. Up to 33 kW (Δt 15 K) with a 8 m circulating pump. Kvs: 5.7.

Dim.	Item	Code	Prezzo senza circolatore	s.b.	m.c.
1"	M2 MIX33 PDC	20355R-M33-42	€ 311,85	1	-

Pump units with synchronous circ. pump. Up to 33 kW (Δt 15 K) with a 8 m circulating pump. Kvs: 5.7.

Dim.	Item		Price with synchronous circulating pump			s.b.	m.c.
			Para 25/6 SC	UPM3S Auto 25-60	Para 25/8 SC		
1"	M2 MIX33 PDC	Code:	20355R-M33-42-P6	20355R-M33-42-A6	20355R-M33-42-P8	1	-
		Price:	€ 491,47	€ 491,58	€ 551,15		

NOTES



MODVLVS DN25 PUMP UNITS

M2

UNMIXED PUMP UNIT WITH INSULATION
SPECIFIC FOR COOLING APPLICATIONS

Cooling performance: up to 13 kW (Δt 5 K) with its 6 m circulating pump. Kvs: 8,0.

Version	Dim.	Item		Price with synchronous circulating pump		s.b.	m.c.
				Para 25/6 SC	Para 25/8 SC		
-	1"	M2	Code	20354B-P6	20354B-P8	1	-
			Price:	€ 407,21	€ 479,07		



(actuator not included)

MODVLVS DN25 PUMP UNITS

M2 MIX3 - M2 MIX33

MIXED PUMP UNIT WITH 3-WAY MIXING VALVE
AND INSULATION SPECIFIC FOR COOLING
APPLICATIONS

Cooling performance: up to 13 kW (Δt 5 K) with its 8 m circulating pump. Kvs: 8,0.

Version	Dim.	Item		Price with synchronous circulating pump		s.b.	m.c.
				Para 25/6 SC	Para 25/8 SC		
with recirculation by-pass	1"	M2 MIX33	Code	20354B-M33-P6	20354B-M33-P8	1	-
			Price:	€ 493,50	€ 563,78		
recirculation by- pass	1"	M2 MIX3	Code	20354B-M3-P6	20354B-M3-P8	1	-
			Price:	€ 488,93	€ 559,21		



M21D - M41D -
M51-05D



ACD10 - ACD20



AHD20

MODVLVS REGULATORS AND FITTINGS

ACTUATORS

Applicable actuators (for further details check the specific page of the price list)

Code	Description	Price	s.b.	m.c.
M21D	3-point bidirectional actuator. 5 Nm, 2 min, 230V.	€ 84,00		
M41D	3-point bidirectional actuator. 5 Nm, 2 min, 24V AC.	€ 119,56		
M51-05D	Proportional actuator. 0-10V/2-10V. 5 Nm, 2 min. Supply: 24V AC, 24	€ 150,69		
ACD10	Fixed point actuator. 6 Nm, 2 min 230V	€ 227,42		
ACD20	Fixed point actuator. Control of circ. pump. 6 Nm, 2 min 230V	€ 267,69		
AHD20	optional). 6 Nm, 2 min 230V	€ 359,37		



MODVLS

DN25 PUMP UNITS

M2 FIX3

MIXED MODULE WITH FIXED POINT MIXING
VALVE AND INSULATION SPECIFIC FOR
COOLING APPLICATIONS

Pump units with Multimix thermostatic valve model F1, F2, F3 e F4.

Version	Dim.	Item		Price with synchronous circulating pump		s.b.	m.c.
				Para 25/6 SC	Para 25/8 SC		
-	1"	M2 FIX3	Code	20354B-xx-P6	20354B-xx-P8	1	-
			Price:	€ 557,24	€ 620,84		

NOTE:


"xx" shows the model of thermostatic valve: F1, F2, F3 and F4
F1: 20-45°C - Kvs 2,2 ; F2: 45-70°C - Kvs 2,2 ; F3: 20°-45°C - Kvs 3,3 ; F4: 45-70°C - Kvs 3,3



M21D - M41D -
M51-05D



ACD10 - ACD20



AHD20

MODVLVS

REGULATORS AND FITTINGS

ACTUATORS

Actuators

Dim.	Code	Description	Price	s.b.	m.c.
-	M21D	3-point bidirectional actuator. 5 Nm, 2 min, 230V.	€ 84,00	1	-
-	M41D	3-point bidirectional actuator. 5 Nm, 2 min, 24V AC.	€ 119,56	1	-
-	M51-05D	Proportional actuator. 0-10V/2-10V. 5 Nm, 2 min. Supply: 24V AC, 24V DC	€ 150,69	1	-
-	ACD10	Actuator with control of fluid temperature at fixed temperature. For heating and cooling. 6 Nm, 2 min 230V	€ 227,42	1	-
-	ACD20	Actuator with control of fluid temperature at fixed temperature. Control of circulating pump. For heating and cooling. 6 Nm, 2 min 230V	€ 267,69	1	-
-	AHD20	Climatic controller with actuator and outside sensor (room sensor is optional). 6 Nm, 2 min 230V	€ 359,37	1	-



TA-1B



TAW-1B

MODVLVS

REGULATORS AND FITTINGS

ROOM THERMOSTATS

Room thermostat

Dimension	Code	Price	s.b.	m.c.
-	TA-1B	€ 144,60	1	-

Wireless room thermostat

Dimension	Code	Price	s.b.	m.c.
-	TAW-1B (version with wireless connection)	€ 199,20	1	-



MODVLVS
COMPONENTS

Art. 736R
DOUBLE CONNECTION

Brass 'Y' double connection with swivel nut

Size	Code	Description	Price	s.b.	m.c.
1"1/4 M x 1" nut	R05736R	Double connection	€ 23,78	1	



Art. 791 1"

MODVLVS


ANTI-FREEZE VALVE

Art. 791

ANTI-FREEZE VALVE

Anti-freeze valve for heating/cooling systems with heat pump.

Dim.	Code	Description	Price	s.b.	m.c.
1"	04791	Anti-freeze valve; opening temp.: 3°C	€ 62,53	1	-
1"1/4	05791	Anti-freeze valve; opening temp.: 3°C	€ 67,46	1	-
1"1/2	06791	Anti-freeze valve; opening temp.: 3°C	€ 81,96	1	-
28 mm	28791	Anti-freeze valve; opening temp.: 3°C	€ 77,48	1	-
1"x1" nut	04791C	Anti-freeze valve; opening temp.: 3°C; 1" Male x 1" Swivel nut	€ 66,45	1	-
1"1/4x1"1/4 nut	05791C	Anti-freeze valve; opening temp.: 3°C; 1"1/4 Male x 1"1/4 Swivel nut	€ 74,49	1	-



MODvFRESH

ModvFresh 2 PDC

**PUMP UNIT TO DELIVER FRESH
DOMESTIC HOT WATER (DHW)
WITH ELECTRONIC CONTROL**

Pump unit with electronic controller. Adjustable temperature setting from 30°C up to 70°C.

Dim.	Code	Description	Price	s.b.	m.c.
3/4"x1"	031320-125-40	ModvFresh 2 PDC - 125 kW , up to 40 l/min	€ 1.981,12	1	-



031320SET



031300-CIRC

Connection valves set for ModvFresh 2 PDC

Dim.	Code	Description	Price	s.b.	m.c.
3/4"-1"	031320SET	4 valves set	€ 93,55	1	-
1"	031300-CIRC	Recycling kit with EcoCirc Pro 15-3/65 circ. pump, connections with check valve, ball valve	€ 216,82	1	-




MODvFRESH

ModvFresh 2 PDC

**PUMP UNIT TO DELIVER FRESH
DOMESTIC HOT WATER (DHW)
WITH ELECTRONIC CONTROL**

Pump unit with electronic controller and connection valves set.

Misura	Codice	Descrizione	Prezzo	conf	imb
3/4"x1"	031320-125-40-SE	ModvFresh 2 PDC - 125 kW , up to 40 l/min - 4 valves set	€ 2.074,67	1	-



MODvFRESH

ModvFresh 2 PDC

**PUMP UNIT TO DELIVER FRESH
DOMESTIC HOT WATER (DHW) WITH
ELECTRONIC CONTROL AND
RECIRCULATION**

Pump unit with electronic controller and recirculation. Adjustable temperature setting from 30°C up to 70°C.

Dim.	Code	Description	Price	s.b.	m.c.
3/4"x1"	031325-125-40	ModvFresh 2 PDC - 125 kW , up to 40 l/min	€ 2.321,12	1	-



031325SET

Connection valves set for ModvFresh 2 PDC with recirculation

Dim.	Code	Description	Price	s.b.	m.c.
3/4"-1"	031325SET	5 valves set	€ 109,35	1	-




MODvFRESH

ModvFresh 2 PDC

**PUMP UNIT TO DELIVER FRESH
DOMESTIC HOT WATER (DHW) WITH
ELECTRONIC CONTROL AND RECIRCULATION**

Pump unit with electronic controller, recirculation and connection valves set.

Dim.	Code	Description	Price	s.b.	m.c.
3/4"x1"	031325-125-40-SE	ModvFresh 2 PDC - 125 kW , up to 40 l/min - 5 valves set	€ 2.430,47	1	-




MODvFRESH

ModvFresh 2 PDC Kascata

SYSTEM TO CONNECT IN CASCADE
SEVERAL DHW MODULES MODvFRESH 2 PDC
FOR INSTALLATIONS REQUIRING HIGH
POWER AND FLOW RATE OR WITH
MEDIUM-TEMPERATURE HEAT SOURCES

Complete Kascata systems, with and without recirculation line

Kascata system - Without recirculation line							
No. Modules	2	3	4	5	6		
Code	MFK-250-PDC	MFK-375-PDC	MFK-500-PDC	MFK-625-PDC	MFK-750-PDC		
Price	€ 4.560,70	€ 6.844,20	€ 9.127,70	€ 11.443,10	€ 13.726,60		
Kascata system - With recirculation line							
No. Modules	2	3	4	5	6		
Code	MFK-R-250-PDC	MFK-R-375-PDC	MFK-R-500-PDC	MFK-R-625-PDC	MFK-R-750-PDC		
Price	€ 4.900,70	€ 7.184,20	€ 9.467,70	€ 11.783,10	€ 14.066,60		




MODvFRESH

ModvFresh 2 PDC Kascata with Multigateway

SYSTEM TO CONNECT IN CASCADE
SEVERAL DHW MODULES MODvFRESH 2 PDC
FOR INSTALLATIONS REQUIRING HIGH
POWER AND FLOW RATE OR WITH
MEDIUM-TEMPERATURE HEAT SOURCES

Complete Kascata systems with Multigateway, with and without recirculation line

Kascata system - Without recirculation line							
No. Modules	2	3	4	5	6		
Code	MFK-250-PDC-MG	MFK-375-PDC-MG	MFK-500-PDC-MG	MFK-625-PDC-MG	MFK-750-PDC-MG		
Price	€ 5.067,44	€ 7.350,94	€ 9.666,34	€ 11.949,84	€ 14.233,34		
Kascata system - With recirculation line							
No. Modules	2	3	4	5	6		
Code	MFK-R-250-PDC-MG	MFK-R-375-PDC-MG	MFK-R-500-PDC-MG	MFK-R-625-PDC-MG	MFK-R-750-PDC-MG		
Price	€ 5.407,44	€ 7.690,94	€ 10.006,34	€ 12.289,84	€ 14.573,34		



MODVFRESH

ModvFresh 2 80 L/min

PUMP UNIT TO DELIVER FRESH DOMESTIC HOT WATER (DHW) WITH ELECTRONIC CONTROL

Pump unit with electronic controller. Adjustable temperature setting from 30°C up to 70°C.

Dim.	Code	Description	Price	s.b.	m.c.
1"1/4x1"	041310-200-80	ModvFresh 2 80 L/min - 200 kW , up to 80 l/min	€ 2.412,68	1	-




041310SET



Z15/4-3FSR

Connection valves set for ModvFresh 2 80 L/min

Dim.	Code	Description	Price	s.b.	m.c.
1"1/4 - 1"	041310SET	4 valves set	€ 131,70	1	-
1"	Z15/4-3FSR	Circulating pump for recirculation line. 1" x 130 mm. 4 m head.	€ 163,99	1	-




MODVFRESH

ModvFresh 2 80 L/min

PUMP UNIT TO DELIVER FRESH DOMESTIC HOT WATER (DHW) WITH ELECTRONIC CONTROL

Pump unit with electronic controller and connection valves set.

Dim.	Code	Description	Price	s.b.	m.c.
1"1/4x1"	041310-200-80-SE	ModvFresh 2 80 L/min - 200 kW , up to 80 l/min - 4 valves set	€ 2.544,38	1	-



MODvFRESH

ModvFresh 2 80 L/min

**PUMP UNIT TO DELIVER FRESH
DOMESTIC HOT WATER (DHW)
WITH ELECTRONIC CONTROL AND
RECIRCULATION**

Pump unit with electronic controller and recirculation. Adjustable temperature setting from 30°C up to 70°C.

Dim.	Code	Description	Price	s.b.	m.c.
1"1/4x1"	041315-200-80	ModvFresh 2 80 L/min - 200 kW , up to 80 l/min	€ 2.797,54	1	-



041315SET

Connection valves set for ModvFresh 2 80 L/min with recirculation

Dim.	Code	Description	Price	s.b.	m.c.
1"1/4 - 1"	041315SET	5 valves set	€ 147,49	1	-




MODvFRESH

ModvFresh 2 80 L/min

**PUMP UNIT TO DELIVER FRESH
DOMESTIC HOT WATER (DHW)
WITH ELECTRONIC CONTROL AND
RECIRCULATION**

Pump unit with electronic controller, recirculation and connection valves set.

Dim.	Code	Description	Price	s.b.	m.c.
1"1/4x1"	041315-200-80-SE	ModvFresh 2 80 L/min - 200 kW, up to 80 l/min - 5 valves set	€ 2.945,04	1	-




MODvFRESH

ModvFresh 2 80 L/min Kascata

SYSTEM TO CONNECT IN CASCADE
SEVERAL DHW MODULES MODVFRESH 2 80 L/min
FOR INSTALLATIONS REQUIRING HIGH
POWER AND FLOW RATE

Complete Kascata systems, with and without recirculation line

ModvFresh 2 80 L/min Kascata system - Without recirculation line							
No. Modules	2	3	4	5	6		
Code	MFK-400-160L	MFK-600-240L	MFK-800-320L	MFK-1000-400L	MFK-1200-480L		
Price	€ 5.468,74	€ 8.206,26	€ 10.943,78	€ 13.713,20	€ 16.450,72		
ModvFresh 2 80 L/min Kascata system - With recirculation line							
No. Modules	2	3	4	5	6		
Code	MFK-R-400-160L	MFK-R-600-240L	MFK-R-800-320L	MFK-R-1000-400L	MFK-R-1200-480L		
Price	€ 5.853,60	€ 8.591,12	€ 11.328,64	€ 14.098,06	€ 16.835,58		



MODvFRESH

ModvFresh 2 80 L/min Kascata with Multigateway

SYSTEM TO CONNECT IN CASCADE
SEVERAL DHW MODULES MODVFRESH 2 80 L/min
FOR INSTALLATIONS REQUIRING HIGH POWER
AND FLOW RATE, WITH REMOTE MANAGEMENT.

Complete Kascata systems with Multigateway, with and without recirculation line

ModvFresh 2 80 L/min Kascata system - Without recirculation line							
No. Modules	2	3	4	5	6		
Code	MFK-400-160L-MG	MFK-600-240L-MG	MFK-800-320L-MG	MFK-1000-400L-MG	MFK-1200-480L-MG		
Price	€ 5.975,48	€ 8.713,00	€ 11.482,42	€ 14.219,94	€ 16.957,46		
ModvFresh 2 80 L/min Kascata system - With recirculation line							
No. Modules	2	3	4	5	6		
Code	MFK-R-400-160LMG	MFK-R-600-240LMG	MFK-R-800-320LMG	MFK-R-1000-400LMG	MFK-R-1200-480LMG		
Price	€ 6.360,34	€ 9.097,86	€ 11.867,28	€ 14.604,80	€ 17.342,32		




MODvFRESH

ModvFresh Kascata with Multigateway

SYSTEM TO CONNECT IN CASCADE
SEVERAL DHW MODULES MODvFRESH 4
FOR INSTALLATIONS REQUIRING HIGH
POWER AND FLOW RATE OR WITH
MEDIUM-TEMPERATURE HEAT SOURCES
(HEAT PUMPS) WITH REMOTE MANAGEMENT.

Complete Kascata systems with Multigateway, with and without recirculation line

Kascata system - Without recirculation line							
No. Modules	2	3	4	5	6		
Code	MFK-200-MG	MFK-300-MG	MFK-400-MG	MFK-500-MG	MFK-600-MG		
Price	€ 4.822,62	€ 6.983,71	€ 9.176,70	€ 11.337,79	€ 13.498,88		
Kascata system - With recirculation line							
No. Modules	2	3	4	5	6		
Code	MFK-R-200-MG	MFK-R-300-MG	MFK-R-400-MG	MFK-R-500-MG	MFK-R-600-MG		
Price	€ 5.176,21	€ 7.337,30	€ 9.530,29	€ 11.691,38	€ 13.852,47		



Art. 1700



Art. 1750

MODVLS

HYDRAULIC SEPARATION UNITS

Art. 1700 - Hydraulic separation unit

Dim.	Output	Code	Primary circuit	Secondary circuit	Price	s.b.	m.c.
3/4"	24 kW	4031700-24	unmixed	unmixed	€ 447,60	1	-
3/4"	30 kW	4031700-30			€ 468,57	1	-
3/4"	35 kW	4031700-35			€ 506,57	1	-

Art. 1750 - Hydraulic separation unit, with circulating pump present on the Primary circuit as well

Dim.	Output	Code	Primary circuit	Secondary circuit	Price	s.b.	m.c.
3/4"	24 kW	4031750-24	unmixed	unmixed	€ 602,51	1	-
3/4"	30 kW	4031750-30			€ 623,48	1	-
3/4"	35 kW	4031750-35			€ 661,47	1	-



Art. 1710



Art. 1760

MODVLS

HYDRAULIC SEPARATION UNITS

Art. 1710 - Hydraulic separation unit

Dim.	Output	Code	Primary circuit	Secondary circuit	Price	s.b.	m.c.
3/4"	24 kW	4031710-Fx-24	unmixed	thermostatic mix	€ 553,36	1	-
3/4"	30 kW	4031710-Fx-30			€ 600,00	1	-

"Fx" is the setting range of the thermostatic mixing valve: F3: 20-45 °C ; F4: 45-70 °C ; F5: 35-60 °C

Art. 1760 - Hydraulic separation unit, with circulating pump present on the Primary circuit as well

Dim.	Output	Code	Primary circuit	Secondary circuit	Price	s.b.	m.c.
3/4"	24 kW	4031760-Fx-24	unmixed	thermostatic mix	€ 709,45	1	-
3/4"	30 kW	4031760-Fx-30			€ 756,10	1	-



Art. 1720



Art. 1770

MODVLS

HYDRAULIC SEPARATION UNITS

Art. 1720 - Hydraulic separation unit

Dim.	Output	Code	Primary circuit	Secondary circuit	Price	s.b.	m.c.
3/4"	24 kW	4031720-xx-24	with anti-condensation valve	unmixed	€ 550,31	1	-
3/4"	30 kW	4031720-xx-30			€ 571,28	1	-
3/4"	35 kW	4031720-xx-35			€ 609,28	1	-

"xx" is the opening temperature of the anticondensation valve: available calibration temperatures: 45-55-60-65-72-77 °C

Art. 1770 - Hydraulic separation unit, with circulating pump present on the Primary circuit as well

Dim.	Output	Code	Primary circuit	Secondary circuit	Price	s.b.	m.c.
3/4"	24 kW	4031770-xx-24	with anti-condensation valve	unmixed	€ 706,41	1	-
3/4"	30 kW	4031770-xx-30			€ 727,37	1	-
3/4"	35 kW	4031770-xx-35			€ 765,37	1	-



Art. 1730



Art. 1780

MODVLS

HYDRAULIC SEPARATION UNITS

Art. 1730 - Hydraulic separation unit

Dim.	Output	Code	Primary circuit	Secondary circuit	Price	s.b.	m.c.
3/4"	24 kW	4031730-Fx-xx-24	with anti-condensation valve	thermostatic mix	€ 608,70	1	-
3/4"	30 kW	4031730-Fx-xx-30			€ 655,35	1	-

"Fx" is the setting range of the thermostatic mixing valve: F3: 20-45 °C ; F4: 45-70 °C ; F5: 35-60 °C

"xx" is the opening temperature of the anticondensation valve: available calibration temperatures: 45-55-60-65-72-77 °C

Art. 1780 - Hydraulic separation unit, with circulating pump present on the Primary circuit as well

Dim.	Output	Code	Primary circuit	Secondary circuit	Price	s.b.	m.c.
3/4"	24 kW	4031780-Fx-xx-24	with anti-condensation valve	thermostatic mix	€ 767,34	1	-
3/4"	30 kW	4031780-Fx-xx-30			€ 813,98	1	-



MODVLVS

HYDRAULIC SEPARATION UNITS

Box cover for hydraulic separation units - metal sheet powder-coated RAL 9010 white

Dim.	Output	Code	Description	Price	s.b.	m.c.
-	-	EWVK1700	Box cover for models 1700 - 1750	€ 56,27	1	-
-	-	EWVK1710	Box cover for models 1710-1720-1730-1760-1770-1780	€ 56,27	1	-



MODVLVS

HYDRAULIC SEPARATION UNITS

Temperature controller for managing circulators and the heat source

Dim.	Output	Code	Description	Price	s.b.	m.c.
-	-	TAC-4	TC110 Controller	€ 100,70	1	-
-	-	1TAC-BOX	External mounting box	€ 18,49	1	-



MODVLVS
COMPONENTS

Art. 902
DIFFERENTIAL BY-PASS VALVE

Differential by-pass valve

Size	Code	Description	Price	s.b.	m.c.
3/4" F x 3/4" pipe union	03902	By-pass valve 0÷0,5 bar	€ 36,10	1	
1" M x 3/4" pipe union	04902	By-pass valve 0÷0,5 bar	€ 36,10	1	



Art. 523



Art. 563

MODVLS

6-WAY BALL VALVES

Art. 523 / Art. 563

6-WAY MOTORIZABLE BALL VALVES

Hot forged brass 6-way ball valve, motorizable

Dim.	Size	Code	Description	Price	s.b.	m.c.
1/2" F	DN15	02523B	6-way motorizable ball valve, female connections	€ 87,70	1	-
3/4" M	DN15	03563B	6-way motorizable ball valve, male connections	€ 87,70	1	-
3/4" F	DN20	03523B	6-way motorizable ball valve, female connections	€ 141,84	1	-
1" M	DN20	04563B	6-way motorizable ball valve, male connections	€ 141,84	1	-

Kvs reduction ring set for DN15 series

Port Kvs	Total Kvs	Code	Description	Price	s.b.	m.c.
0.25	0.25	02523SETKVS0.25	Set Kvs reduction for 6-way ball valves DN15	€ 2,91	1	-
0.4	0.39	02523SETKVS0.4	Set Kvs reduction for 6-way ball valves DN15	€ 2,91	1	-
0.63	0.61	02523SETKVS0.63	Set Kvs reduction for 6-way ball valves DN15	€ 2,91	1	-
1	0.92	02523SETKVS1	Set Kvs reduction for 6-way ball valves DN15	€ 2,91	1	-
1.6	1.33	02523SETKVS1.6	Set Kvs reduction for 6-way ball valves DN15	€ 2,91	1	-

Kvs reduction ring set for DN20 series

Port Kvs	Total Kvs	Code	Description	Price	s.b.	m.c.
0.63	0.63	03523SETKVS0.63	Set Kvs reduction for 6-way ball valves DN20	€ 2,91	1	-
1	0.98	03523SETKVS1	Set Kvs reduction for 6-way ball valves DN20	€ 2,91	1	-
1.6	1.54	03523SETKVS1.6	Set Kvs reduction for 6-way ball valves DN20	€ 2,91	1	-
2.5	2.29	03523SETKVS2.5	Set Kvs reduction for 6-way ball valves DN20	€ 2,91	1	-
4	3.27	03523SETKVS4	Set Kvs reduction for 6-way ball valves DN20	€ 2,91	1	-

Adapter set F04 for M21D and M51D motors

Art.	Connection	Code	Description	Price	s.b.	m.c.
-	F04	SET-523-SM	Connection Adapter Set F04	€ 17,76	1	-



MODVLVS COMPONENTS

Art. 360 FLOW RATE SETTER

Automatic flow rate setter

Size	Code	Description	Price	s.b.	m.c.
3/4"	03360-xx	Automatic flow rate setter - from 78 up to 1020 L/h	€ 54,31	1	
1"	04360-xx	Automatic flow rate setter - from 78 up to 1020 L/h	€ 54,31	1	

Accessories for flow stabiliser

Size	Code	Description	Price	s.b.	m.c.
-	T360-xx	Spare/replacement cartridge	€ 18,81	1	
-	DRUB-360	Spare/replacement cartridge	€ 46,93	1	

In the composition of the code, **xx** identifies the nominal flow rate:

Nominal flow rate L/h	Heating power kW (with $\Delta T = 15$ K)	Cooling power kW (with $\Delta T = 5$ K)
78	1,4	0,45
114	2	0,66
168	3	0,98
228	4	1,3
342	6	2
456	8	2,7
570	10	3,3
684	12	4
792	14	4,6
906	16	5,3
1020	18	5,9



MODVLVS COMPONENTS

MALE UNION CONNECTIONS

Male union connections

Size	Code	Description	Price	s.b.	m.c.
1/2" x 3/4" Nut	DBOI02/SET	Male union connection, for Art. 03360	€ 3,25	1	
3/4" x 1" Nut	DBOI03/SET	Male union connection, for Art. 04360	€ 4,95	1	



Art. 746S



Art. 749S

MODVLVS

DN25 SOLID FUEL

Serie 740S

ANTI-CONDENSATION VALVES WITH
THERMOSTATIC CONTROL

Anti-condensing valve with thermostatic control. 1"1/4 Male connection. Up to 90 kW.

Dimension	Kvs	Code	Price	s.b.	m.c.
1"1/4 M	10	05746S-xx	€ 67,63	1	-

Anti-condensing valve with thermostatic control. 1" Male pipe union. Up to 90 kW.

Dimension	Kvs	Code	Price	s.b.	m.c.
1" M	10	04749S-xx	€ 97,49	1	-

NOTES

"xx" shows the setting temperature of the valve:

45 start opening at 45°C

55 start opening at 55°C

60 start opening at 60°C

65 start opening at 65°C

72 start opening at 72°C

77 start opening at 77°C



55 years of great results.

Technical development, flexibility and customer satisfaction are the cornerstones of the business model and the foundation of BRV's success on the national and international markets.



Quality is our leading goal.





Loc. Molino Rastelli, 2
13018 Valduggia (VC) - Italy

Tel. +39 0163 48062

Fax +39 0163 48188

www.briv.it

e-mail: info@briv.it

ISO 9001:2015 Cert. No. 0853/9



Distributed by:

